Chief Secretary's Office, Adelaide, August 14th, 1894.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

J. H. Gordon, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of June, 1889-94.

Years	1889.	1890.	1891.	1892.	1893.	Average of Five			,		1	894.						Total
*Population, June 1st	307,409	310,723	315,619	324,350	335,610	Years.	343,172									for 1894.		
Births	994	915	931	919	1,092	970	930									5,333		
Rate per cent	*323	•294	•295	•283	•325	_	-271											
Deaths—							All Ages.	Under 1 year.	l and under 5.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners'	‡Uncerti- fied causes of Death.	
All causes	226	344	412	295	363	328	331	54	43	35	52	44	81	21	1	36	9	2,067
Rate per cent	.074	•111	.131	.091	•108	_	•096	_	_	_	_	_	_	_	_	_	_	
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 12. Constitutional v. Developmental vi. Local vii. Violence viii. Ill-defined and not specified	35 — 44 33 91 12	64 -2 46 34 167 10	59 4 — 75 52 187 18	32 1 1 50 34 146 15	41 2 4 58 47 161 15		46 1 - 58 30 162 19	6 - 3 5 29 1	19 - 3 - 18 1	11 - 7 - 11 6	6 - 23 - 17 6	$ \begin{array}{c} 1 \\ 1 \\ \hline 12 \\ \hline 27 \\ 3 \end{array} $	$\frac{1}{-100}$ $\frac{1}{100}$ $\frac{1}{560}$ $\frac{1}{2}$	2 — — 15 4				
causes	11	21	17	16	35	_	15	10	2		_	_	2		1	_	_	

^{*} The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

* Not certified by qualified practitioners.

Causes of Deaths registered in the Month of June, 1894.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I,							-	
Measles	_	1	V.			Diseases of locomotive sys-		
Scarlet fever	-	3	Premature birth	3		tem	_	
Relapsing fever		- 1	Cyanosis	_	_	Diseases of integumentary		
Influenza	1	3	Congenital defects,	2	_			_
Whooping-cough	2	4	Old age		25	systemVII.		
Diphtheria	1	13	VI.			(Accident.)		n mon an in
Simple and ill-defined fever	-	- 1	Apoplexy	_	10	Fracture and contusion	_	9
Enteric fever	-	9	Epilepsy		1	Gunshot wound	_	1
Simple cholera		_	Convulsions	7	2	Cut, stab	_	_
Diarrhœa, dysentery	2	3	Other diseases of brain and			Burn and scald	_	1
Remittent fever	-		nervous system	-	17	Poison		_
Venereal affections	_		Diseases of organs of special			Drowning	_	3
Erysipelas	_	2	sense	-		Suffocation		_
Pyæmia and septicæmia	_	_	Diseases of circulatory sys-			Otherwise	1	1
Puerperal fever	. —	2	tem	1	30		N	
Other zymotic diseases	_	_	Croup	_	3	(Homicide.)		
II.			Bronchitis	6	12	Murder and manslaughter		-
Thrush		_	Pneumonia	7	17	(Suicide.)		
Worms and other parasitical			Pleurisy	_	3	Gunshot wound		1
diseases	_	1	Other diseases of respiratory			Cut, stab	_	1
III.			_ system	1	3	Poison		
Privation-want of breast milk		_	Dentition	1	2	Drowning	_	
Alcoholism	_	_	Quinsy, sore throat			Hanging	_	1
IV.			Enteritis	2	2	Otherwise	_	
Rheumatic fever and rheuma-			Peritonitis	_	3	VIII.		
tism of heart	_	1	Diseases of liver	3	6	Dropsy		1
Rheumatism		1	Other diseases of digestive			Debility, atrophy, inanition	10	I
Gout			system	1	6	Mortification	_	1
Cancer, malignant disease		16	Diseases of lymphatic sys-			Tumor		
Tabes mesenterica	2	1	tem and of ductless glands	_	1	Abscess		
Tubercular meningitis	1	2	Diseases of urinary system	_	12	Hæmorrhage		7 1 1 1 1
Phthisis	_	26	Diseases of generative sys-		12	Sudden, cause unascertained		
Scrofula, tuberculosis		5	tem		2	Other ill-defined and not		
Other constitutional diseases.	_	3	Accidents of childbirth		2	specified causes		3

Return of Births and Deaths registered in the City of Adelaide in the Month of June, 1889-94.

Years	1889.	1890.	1891.	1892.	1893.	Average of Five					18	394.						Total for
Population, Jan. 1st	36,400	37,189	37,727	38,240	39,073	Years.					39,	749						1894.
Births	81	92	120	116	120	106	06 103								579			
Rate per cent	•223	•247	•318	.303	•307	_					•2	59						
Deaths—							All Ages.	Under l year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied sauses of death.	
All causes	48	80	95	77	90	78	73	6	8	6	15	15	19	4	_	3	-	388
Rate per cent	·132	-215	•252	•201	•230	-	•184			_		-		_			. —8	10 19/3
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified causes	5 — 10 10 20 2	11 — 16 7 43 1	6 	5 1 	8 -2 15 14 44 1		11 — 16 6 37 3		44	1 1 -	2 - 7 - 6	- - 4 - 9 2	1 - 4 2 11 1	3 1				

^{*}Including inquests.

Causes of Deaths registered in the Month of June, 1894.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.								
Measles		1	Scrofula, tuberculosis			Accidents of childbirth	-	_
Scarlet fever		1	Other constitutional diseases			Diseases of locomotive system		1.
Relapsing fever		DEED ALL SHOP				Diseases of integumentary		
Influenza	_	0 * * * <u> * * </u>	V.			system	_	·
Whooping-cough	-	1	Premature birth					
Diphtheria	-	_	Cyanosis		_	VII. (Accident.)		
Simple and ill-defined fever		_	Congenital defects	1	-	Fracture and contusion		2
Enteric fever	-	4	Old age		5	Gunshot wound	-	_
Simple cholera		_				Cut, stab	-	_
Diarrhœa, dysentery	-	2	VI.			Burn and scald		_
Remittent fever	_		Apoplexy	-	4	Poison	-	-
Venereal affections	1 -		Epilepsy	-		Drowning	-	_
Erysipelas	-	1	Convulsions		1	Suffocation	-	_
Pyæmia and septicæmia	_	1	Other diseases of brain and			Otherwise	-	_
Puerperal fever Other zymotic diseases	-	1	nervous system		4	(Homicide.)		
other zymotic diseases		-	Diseases of organs of special		1	Murder and manslaughter		_
II.			sense		6	(Suicide.)		
Thrush		-	Croup		_	Gunshot wound	_	_
Worms and other parasitical			Bronchitis	1		Cut, stab	_	
diseases			Pneumonia	2	3	Poison	_	_
			Pleurisy	_	_	Drowning		
III.			Other diseases of respiratory			Hanging		1
Privation-want of breast milk			system		1	Otherwise	_	_
Alcoholism			Dentition	1	2			
			Quinsy, sore throat		_	VIII.		
IV.			Enteritis			Dropsy	_	-
Rheumatic fever and rheuma-			Peritonitis	_	2	Debility, atrophy, inanition	-	-
tism of heart	-		Diseases of liver	-	_	Mortification	_	-
Rheumatism	-	1	Other diseases of digestive			Tumor	-	-
Gout	-		system	1	2	Abscess		-
Cancer, malignant disease		5	Diseases of lymphatic sys-			Hæmorrhage	-	-
Tabes mesenterica	-	_	tem and of ductless glands	-		Sudden, cause unascertained	_	-
Tubercular meningitis		1	Diseases of urinary system	-	5	Other ill-defined and not		
Phthisis		9	Diseases of generative system	0.400	2	specified causes	-	-

⁺Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of June, 1894.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
				3000			
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	39,749	6,283	6,946	8,265	9,626	3,713	4,916
Persons to an acre	10.9	10.9	10.5	14.7	13.4	7.7	7.6
Births Male Female	103 55 48	19 12 7	13 5 8	23 13 10	34 17 17	5 4 1	9 4 5
eaths Male Female	56 30 26	13 7 6	9 6 3	9 3 6	11 7 4	8 5 3	6 2 4
CLASSES. I. Specific Febrile or Zymotic Diseases. II. Parasitic Diseases III. Dietic Diseases. IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence. VIII. Ill-defined and not specified causes	9 12 5 28 2	1 4 7 1	2 	1 — 3 — 5	2 — 1 1 7	2 3 2 1	1 - 3 - 2 -
Percentage of Deaths to population of each Ward	•141	207	•130	.109	·114	•215	•122

Causes of Deaths registered in the Month of June, 1894.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.	-		Phthisis		7	Accidents of childbirth		
Measles	_	1	Scrofula, tuberculosis			Diseases of locomotive system		_
Scarlet fever		î	Other constitutional diseases.	_		Diseases of integumentary		-
Relapsing fever						system		-
Influenza	_	_	V.					
Whooping-cough	_	1	Premature birth					
Diphtheria			Cyanosis			VII.		
Simple and ill-defined fever		_	Congenital defects	1		(Accident.)		
Enteric fever	_	2	Old age	_	4	Fracture and contusion		1
Simple cholera		-	1			Gunshot wound	-	
Diarrhœa, dysentery	_	2	VI.			Cut, stab		
Remittent fever			Apoplexy		3	Burn and scald		
Venereal affections	_		Epilepsy		_	Poison		_
Erysipelas	1 -	1	Convulsions		1	Drowning	_	_
Pyæmia and septicæmia	_	_	Other diseases of brain and			Suffocation	-	_
Puerperal fever	_	1	nervous system		2	Otherwise	-	-
Other zymotic diseases	-		Diseases of organs of special			(Homicide.)		
other zymotro discuses			sense	_	_	Murder and manslaughter	-	-
II.			Diseases of circulatory system		3	(Suicide.)		
Thrush	_	_	Croup	-		Gunshot wound	-	_
Worms and other parasitical			Bronchitis	1		Cut, stab	_	-
diseases	_		Pneumonia	2	3	Poison	-	-
411111111111111111111111111111111111111			Pleurisy	_		Drowning		_
III.			Other diseases of respiratory			Hanging	-	1
Privation — Want of breast	1		system		1	Otherwise	-	_
milk	-	_	Dentition	1	2			
Alcoholism	-		Quinsy, sore throat	-	-	VIII.		
			Enteritis	_	_	Dropsy	_	_
IV.			Peritonitis	-	2	Debility, atrophy, inanition	-	-
Rheumatic fever and rheu-			Diseases of liver	_	_	Mortification	_	_
matism of heart	-	_	Other diseases of digestive			Tumor		_
Rheumatism	-	1	system	1	1	Abscess		_
Gout	-	_	Diseases of lymphatic system			Hæmorrhage		-
Cancer, malignant disease	-	3	and of ductless glands	-	-	Sudden, cause unascertained.		
Tabes mesenterica	-	-	Diseases of urinary system	-	3	Other ill-defined and not spe-		
Tubercular meningitis	-	1	Diseases of generative system	-	2	cified causes	_	-

JUNE, 1894.

The highest temperature in the shade at the Adelaide Observatory during the month was 64°·3 on the 19th; and the lowest, 40°·3, on the 29th. The mean temperature of the month was 53°·4.

The greatest range of the thermometer in one day, 21°·3, took place on the 28th, viz., from a maximum of 61°·6 to a minimum of 40°·3; the lowest range, 6°·6, on the 3rd.

The mean height of the barometer was 29·952 inches; the maximum, 30·399 inches, occurred on the 30th; and the minimum, 29·459 inches, on the 3rd.

on the 3rd.

Observatory, Adelaide, July 20th, 1894.

C. Todd, Observer.

Births and Deaths registered in the undermentioned Corporate Towns in the Quarter ended June 30th, 1894.

	Estimated		tered du Quarter.	ring	The Deaths registered in the Quarter include Deaths from—											
Corporate Towns.	Population Jan. 1st, 1894		Deaths.							D: 1	Diseases of	f	Diseases			
		Births.	Total.	Under One Year.	Measles.	Scarlet Fever.	Diph- theria.	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.	Respiratory System.	Phthisis.	Circula tory System			
Adelaide	39,749 8,872	300 75	194 26	29	1	5	2 3	1	10 1	10	16 2	26 4	14			
Thebarton Port Adelaide Semaphore	4,216 5,345 7,817	41 43 62	12 16 15	5 3 6	_	_	3		<u>-</u>	2 2 2	1 1 -	<u>-</u>	<u>-</u>			
Glenelg Brighton Unley	3,935 932 12,534	20 6 99	9 5 31	1 11		1	=	$\frac{1}{1}$	$\frac{1}{1}$	1	$\frac{2}{2}$	$\begin{bmatrix} 2 \\ 2 \\ 4 \end{bmatrix}$	- 7			
St. Peters Kensington and NorwoodGawler	$ \begin{array}{c} 6,214 \\ 12,749 \\ 2,251 \end{array} $	$ \begin{array}{r} 40 \\ 102 \\ 14 \end{array} $	14 48 8	5 16 2	_	_	3		1 1	1 5 1	$\begin{array}{c c}2\\7\\-\end{array}$	5	1 4 1			
Kapunda Burra Clare	2,120 $2,401$ $1,016$	12 40 5	$\begin{array}{c} 6 \\ 14 \\ 4 \end{array}$	3	_	_	1 —		$\frac{2}{1}$	2	$\begin{bmatrix} 1 \\ 2 \\ 1 \end{bmatrix}$	_	3			
Jamestown Port Augusta Port Pirie	1,143 1,404 4,488	18 13 56	4 8 14	3 3		=	=	=	2		1 3 2	_	1 1			
Kadina Moonta Wallaroo	1,625 1,637 1,850	23 14 16	3 7 7	2 1	_	_	_		<u>-</u>	=	1	_	- 2			
Goolwa Strathalbyn Mount Gambier	696 881 2,853	3 6 35	5 2 14	2 3	_	_	=	_		1	<u>-</u>	_	- - 1			

GEO. H. AYLIFFE, Registrar-General.